

#### भारत सरकार Government of India विद्युत मंत्रालय Ministry of Power **पूर्वी क्षेत्रीय विद्युत समिति**



DATE: 30.09.2016

## **Eastern Regional Power Committee**

14, गोल्फ क्लब रोड, टालीगंज, कोलकाता-700033 14 Golf Club Road, Tollygunj, Kolkata-700033

Tel No.:033-24235199, 24235005 FAX No.:033-24221802, 24221358 Web: www.erpc.gov.in

**FAX MESSAGE NO. 672** 

## NO. ERPC/PROTECTION/2016/

To,

As per list enclosed.

Sub: Notice for 48<sup>th</sup> Protection Coordination sub-Committee (PCC) meeting of ERPC

Notice is hereby given that 48<sup>th</sup> PCC meeting of ERPC will be held on 20<sup>th</sup> October 2016 (Thursday) at 11: 00 hrs at ERPC Conference Room, Kolkata.

The tentative agenda items for discussion will be as follows:

- 1) Confirmation of the minutes of 47<sup>th</sup> Protection sub-Committee Meeting of ERPC
- 2) Follow-up action on decision of previous Protection sub-Committee Meetings
- 3) Analysis of following grid disturbances of September 2016:
- ➤ Disturbance at 220 kV NJP(WBSETCL) S/s on 01-09-16 at 09:41 hrs.
- ➤ Multiple elements tripping at 400kV Biharshariff and 220kV Ranchi on 02-09-16 at 19:32 hrs.
- ➤ Disturbance at 400kV Biharshariff (PG) and 220 kV Biharshariff S/s (BSPTCL) on 07-09-16 at 03:59 hrs.
- Disturbance at 132 kV Purnea S/s on 12-09-16 at 22:40 hrs
- Tripping of 220 KV Biharshariff Begusarai D/C line on 18-09-16 at 09:28 hrs
- > Tripping of 220 KV Biharshariff Fatuha D/c line on 20-09-16 at 15:44 hrs
- Disturbance at 220kV Tarkera S/s on 22-09-16 at 15:38 hrs
- Disturbance at 132kV Purnea and 220kV Madhepura S/s on 27-09-16 at 19:00 hrs
- > Disturbance at 400kV Khahalgaon S/s on 28-09-16 at 06:50 hrs

You are requested to kindly furnish the detailed disturbance report, containing the following information:

- Single line diagram of the affected area/region
- Pre fault conditions
- Tripping incident details with proper relay indication
- Disturbance record
- Analysis of the tripping incident
- Remedial measures taken
- Conclusion

Your participation in the meeting is highly solicited. Please confirm your participation in the meeting along with name and designation of the participants.

Yours faithfully,

-sd-

(A. K. Bandyopadhyaya) Member Secretary

# **LIST OF ADDRESSES:**

Chief Engineer, Trans (O&M)	Electrical Superintending Engineer (CRITL)
Bihar State Electricity Board, Vidyut Bhawan,	Bihar State Electricity Board, Vidyut Bhawan,
Bailey Road, Patna-800021	Bailey Road, Patna-800021
Chief Engineer (CLD)	Chief Engineer (CTC)
Damodar Valley Corporation, P.O. Maithon Dam,	Damodar Valley Corporation, P.O. Maithon Dam,
Dist. Dhanbad, Jharkhand-828207	Dist. Dhanbad, Jharkhand-828207
Chief Engineer, Trans (O&M)	Electrical Superintending Engineer (CLD)
Jharkhand State Electricity Board	Jharkhand State Electricity Board, Kusai Colony,
Kusai Colony, Doranda, Ranchi-834002	Doranda, Ranchi-834002
Chief General Manager (O&M),	Sr. General Manager (PPA), Technical Wing,
OPTCL, Janpath, Bhubaneswar,	OHPCL, Orissa State Police Housing & Welfare
Odisha – 751 022. FAX: 0674-2542932	Corpn. Bldg. Vanivihar Chowk,
cgm.onm@optcl.co.in	Janpath, Bhubaneswar-752022
Chief Load Dispatcher, SLDC	Chief Engineer (Testing), WBSETCL
OPTCL, P.O. Mancheswar Rly. Colony	Central Testing Laboratory, Abhikshan, Salt Lake,
Bhubaneswar-751017	Kolkata-700091 (Fax no. 2367-3578/1235)
Chief Engineer (CLD)	Addl. Chief Engineer (ALDC)
WBSETCL, P.O. Danesh Sheikh Lane,	West Bengal Electricity Distribution Company Ltd
Andul Road, Howrah-711109	Vidyut Bhavan, 7 <sup>th</sup> Floor, Bidhannagar, Sector-I
Des Chief Engineer (TE vi ) / G No. (TE vi )	Salt Lake City, Kolkata-700091(Fax-033-2334-5862)
Dy. Chief Engineer (Testing)/ Sr. Manager (Testing)	General Manager (O&M)
CESC Ltd.,4, Sasi Sekhar Bose Road,	KhSTPS, NTPC Ltd., P.O. Deepti Nagar,
Kolkata-700025	Dist. Bhagalpur, Bihar-813203
General Manager(O&M)	Dy. General Manager (Engineering),
FSTPS, NTPC Ltd., P.O. Nabarun,	WBPDCL,OS Dept. Corporate Office, 3/C,L.A Block,
Dist. Murshidabad, West Bengal-742236	Salt Lake-III, Kolkata-700098 (Fax-033-23350516)
General Manager (O&M)	General Manager (OS), ERHQ-II, NTPC Ltd., 3 <sup>rd</sup> flr.
Barh STPS, NTPC Ltd., P.O. NTPC Barh,	OLIC Building, Plot no. N 17/2, Nayapalli, Unit-8
Dist. Patna, Bihar-803213	Bhubaneswar- 751012 (Fax No. 0674-2540919)
General Manager(O&M)	General Manager (O&M)
TSTPS, NTPC Ltd.	POWERGRID, Odisha Projects
P.O.Kaniha, Dist. Angul, Orissa-759117	Sahid Nagar, Bhubaneswar – 751 007
General Manager(OS), ERHQ-I, NTPC Ltd.,	Director (GM Division)
Loknayak Jaiprakash Bhawan, (2 <sup>nd</sup> Floor),	Central Electricity Authority
Dak Bunglow Chawk, Patna-800001	Sewa Bhawan, R. K. Puram, New Delhi-110066
Executive Director (O&M)	Electrical Superintending Engineer, TTPS,
NHPC Ltd., NHPC Office Complex, Sector-33,	Tenughat Vidyut Nigam Ltd.,
Faridabad, Haryana-121003 (Fax-01292272413)	Lalpania, Dist. Bokaro, Jharkhand-829149
Dy. General Manager (Electrical)	General Manager (OS), ER-I
IB Thermal Power Station, OPGCL	Power Grid Corporation of India Ltd.,
Banhapalli, Dist. Jharsuguda-768234,Orissa	Alankar Place, Boring Road, Patna-800001
Chief Engineer (Trans.)	Sr. Manager (CTMC)
Power Deptt., Govt. of Sikkim,	Durgapur Projects Limited,
Gangtok-731010	Durgapur-713201
General Manager,	Manager (Electrical), Adhunik Power & Natural
ERLDC, POSOCO	Resources Ltd. "Lansdowne Towers, Kolkata-700020
14, Golf Club Road, Tollygunge, Kolkata-700033	( Fax No. 033-2289 0285)
General Manager (OS), ER-II	Shri A.K.Nayak/Shri Sumit S Ghosh
Power Grid Corporation of India Ltd.,	Maithon Power Limited, Maithon Office, MA 5
J-I-15, Block-EP, Sector-V,Salt Lake,Kolkata-91	Gogna, Dist. Dhanbad, Jhankand State, PIN-828207
General Manager (P&O), PTC Ltd.,	Vice President, Sesa Sterlite Ltd.
Kanchanjunga Bldg.,18, Barakhamba Road,	1 <sup>st</sup> floor, City Mart Complex, Baramunda,
New Delhi-110001	Bhubaneswar-751012
Managing Director, Bhutan Power Corporation	Managing Director, Druk Green Power Corprn.
Post Box no. 580, Thimpu, Bhutan.	P.O. Box-1351, Thimpu, Bhutan.
_	-
SUPERINTENDENT ENGINEER, ERPC	ASSISTANT SECRETARY, ERPC