

भारत सरकार Govemment of India विद्युत मंत्रालय Ministry of Power **पूर्वी क्षेत्रीय विद्युत समिति**



DATE: 04.09.2017

Eastern Regional Power Committee

14, गोल्फ क्लब रोड, टालीगंज, कोलकाता-700033 14 Golf Club Road, Tollygunj, Kolkata-700033

Tel No.:033-24235199, 24235005 FAX No.:033-24221802, 24221358 Web: www.erpc.gov.in

NO. ERPC/MS/OPERATION/2017-18/

FAX MESSAGE NO. - 474

To,

As per list enclosed.

Sub: 137th Operation Coordination sub-Committee (OCC) meeting of ERPC

Notice is hereby given that 137th OCC meeting of ERPC will be held at ERPC Conference Hall, Kolkata on 21st September, 2017 (Thursday) at 11: 00 hrs.

You are requested to kindly furnish your agenda points along with following information to ERPC Secretariat positively by 11th September, 2017. The agenda will be uploaded on our website tentatively on 14th September, 2017.

- > Prolonged outage of system elements as on last date.
- Status of Under Frequency Relay operation and healthiness certificate for UFRs for the month of August'17.
- > Certification of healthiness for SPS and Islanding schemes existing in the region for August'17.
- Feedback on shutdown programme approved by OCC during August'17.
- ➤ Important operational events like commissioning of new transmission elements, generating units etc. during August'17.
- ➤ Maximum and minimum voltages observed in important 400 kV substations during August'17.
- ➤ Programme of maintenance of generating stations/transmission lines/Equipment (above 220kV) for October'17

Your participation in the meeting is highly solicited. Please confirm your participation in the meeting along with name and designation of the participants.

-sd(A. K. Bandyopadhyaya)
Member Secretary

LIST OF ADDRESSES:

- 1. CHIEF ENGINEER (TRANS., O&M), BSPTCL, PATNA, (FAX NO. 0612-2504557/2504937)
- 2. CHIEF ENGINEER, TRANSMISSION (O&M), JUSNL, RANCHI (FAX NO.-0651-2490486/2490863)
- **3.** CHIEF ENGINEER, TVNL, NEPAL HOUSE, ROOM NO. 018/2, DORANDA, RANCHI 834102 (FAX NO. 06544-225414)
- 4. CHIEF LOAD DISPATCHER, SLDC, OPTCL, BHUBANESWAR (FAX NO.0674-2748509)
- 5. CHIEF GENERAL MANAGER (O&M), OPTCL, BHUBANESWAR
- 6. SR. GENERAL MANAGER (PP), GRIDCO, JANPATH, BHUBANESWAR (0674-2547180)
- 7. DIRECTOR (OPERATION), IB TPS, AT/PO BANHARPALI, JHARSUGUDA, (FAX NO. 06645-222225/222230)
- 8. GENERAL MANAGER, TTPS, TALCHER, (FAX NO. 06760-243212)
- 9. SR. GENERAL MANAGER (ELECTRICAL), OHPC LTD., BHUBANESWAR, (FAX NO.0674-2542102)
- 10. CHIEF ENGINEER, CLD, WBSETCL, HOWRAH, (FAX NO. 033-26886232)
- 11. CHIEF ENGINEER, CENTRAL PLANNING WING, WBSETCL, SALT LAKE (FAX NO.: 033-23591955)
- 12. CHIEF ENGINEER (PTR), WBSEDCL, SALT LAKE, KOLKATA (FAX:033-23345862)
- **13.** CHIEF GENERAL MANAGER (O&M), WBPDCL, KOLKATA-98 (FAX NO. 033-23393286/2335-0516)
- 14. GM, KOLAGHAT TPS, WBPDCL, KOLAGHAT (FAX NO.03228231280)
- **15.** DGM (OPERATION), DPL, DURGAPUR, (FAX NO. 0343-2555052)
- **16.** GENERAL MANAGER (SYS OPERATION), CESC, CHOWRINGHEE SQUARE, KOLKATA (FAX NO.033-22253756/22129871)
- 17. CHIEF ENGINEER, SLDC, DVC, HOWRAH (FAX NO. 033-2688-5094)
- **18.** ADDL.CHIEF ENGINEER, SLDC, POWER DEPT., GOVT. OF SIKKIM, GANGTOK, (FAX NO. 03592-228186/201148/202284)
- **19.** GENERAL MANAGER, ERLDC, KOLKATA, (FAX NO. 033-2423-5809)
- 20. GENERAL MANAGER, FSTPP, NTPC, FARAKKA, (FAX NO. 03512-224214/226085/226124)
- 21. GENERAL MANAGER, KhSTPP, NTPC, KAHALGAON (FAX NO.06429-226082)
- 22. GENERAL MANAGER, TSTPP, NTPC, TALCHER, (FAX NO. 06760-249053)
- 23. GENERAL MANAGER (OS), POWERGRID, ER-II, KOLKATA(Fax no: 033-23572827)
- 24. GENERAL MANAGER, POWERGRID, ER-I, PATNA, (FAX NO.0612-2531192)
- 25. GENERAL MANAGER (O&M), POWERGRID, ODISHA PROJECTS, SAHID NAGAR, BHUBANESWAR 751 007
- **26.** MANAGING DIRECTOR, DRUK GREEN POWER CORPORATION, P.O. BOX -1351, THIMPU, BHUTAN WITH THE REQUEST TO DEPUTE ONE ENGINEER EACH FROM CHUKHA & KURICHHU HYDRO POWER STATION IN THE MEETING (FAX NO 00975- 2336411)
- **27.** MANAGING DIRECTOR, BHUTAN POWER CORPORATION, P.O.BOX-580, THIMPU, BHUTAN (FAX NO. 00975-2333578)
- 28. CHIEF ENGINEER (O&M), TALA H.E.PROJECT, BHUTAN (FAX NO. 009752/324803)
- 29. EXECUTIVE DIRECTOR (O&M), NHPC, FARIDABAD (FAX No.:0129-2272413)
- 30. GENERAL MANAGER, TEESTA -V POWER STATION, NHPC, SINGTAM, EAST SIKKIM (FAX 03592 247377)
- **31.** CHIEF ENGINEER, RANGIT POWER STATION, NHPC, P.O. RANGIT NAGAR, SOUTH SIKKIM (FAX NO.03595-259268)
- **32.** SENIOR VICE PRESIDENT, PTC LTD., NBCC TOWERS, 15-BHIKAJI KAMA PLACE, NEW DELHI- 110066 (FAX NO. 011-41659504)
- 33. ADVISER (COMMERCIAL), ADHUNIK POWER, KOLKATA(FAX NO.: 033-22890285)
- 34. AGM (OPERATION), MAITHON POWER LTD, DHANBAD (FAX: 08860004758)
- **35.** VP(POWER), VEDANTA LIMITED, BHUBANESWAR- 751023 (FAX NO 0674-2302920)
- 36. CHIEF ELECTRICAL ENGINEER, EASTERN RAILWAY, KOLKATA-700 001 (FAX NO.: 033-22300446)
- 37. CHIEF ELECTRICAL ENGINEER, SOUTH EASTERN RAILWAY, KOLKATA-43 (FAX: 033-24391566)
- 38. DEPUTY DIRECTOR, EASTERN RPSO, SALT LAKE, KOLKATA- (FAX NO:033-23217075)
- 39. GENERAL MANAGER (O&M), NHPC LTD, FARIDABAD, FAX: 0129-2272413
- **40.** ASSOCIATE VICE PRESIDENT, GMR KEL, 29, SATYANAGAR, BHUBANESWAR-751007. (FAX NO: 0674-2572794)
- 41. GM (SO & COMML), NTPC VVNL, NEW DELHI-110033. Fax:011-24367021

CC:

Chief Engineer, OPM, CEA	Chief Engineer, NPC, CEA	ASSISTANT SECRETARY, ERPC