



भारत सरकार  
Government of India  
विद्युत मंत्रालय  
Ministry of Power  
पूर्वी क्षेत्रीय विद्युत समिति

75  
Azadi Ka  
Amrit Mahotsav



**Eastern Regional Power Committee**  
14, गोल्फ क्लब रोड, टॉलीगंज, कोलकाता-700033  
14 Golf Club Road, Tollygunj, Kolkata-700033

Tel No.:033-24239659/9651 FAX No.:033-24239652/53 Web: [www.erpc.gov.in](http://www.erpc.gov.in)

सं./ No: ERPC /COM-I/REA/2022-23/864

दिनांक / Date: 08.10.2022

To: As per list enclosed / सेवा में: संलग्न सूची के अनुसार

**Sub: Revised DC Certification for MPL Station for the Month September, 2022**

**विषय: माह सितंबर, 2022 के लिए एमपीएल स्टेशन के लिए संशोधित डीसी प्रमाणन**

Ref: CERC order No: 28/MP/2016 dated 31.08.2017

Ref: ERPC/COM-I/REA/2022-23/861 dated 07.10.2022

Sir / महोदय,

With reference to the above, the Revised DC of MPL for the month of September, 2022 as per the verified data given by ERLDC as on 07.10.2022 has been certified and given in Annexure. The revision has been done due to some inadvertent errors. This is for kind information and necessary action by the constituents.

Constituents are requested to intimate any discrepancy / error within 60 days from the date of issue of this provisional DC statement. In case of any discrepancy / error, the provisional DC statement would be revised based on re-examination, final decision and confirmation. In case no communication is received from any of the constituent's indicating mistakes / discrepancy, the provisional REA as issued, would be treated as final.

संघ के सदस्यों से यह अनुरोध किया जाता है के अस्थायी क्षेत्रीय उर्जा लेखा के प्रकाशित होने की तिथि से 60 दिनों के भीतर किसी भी असंगति / त्रुटि की सूचना दे। असंगति / त्रुटि की परिस्थिति में अस्थायी क्षेत्रीय उर्जा लेखा को पुनः परीक्षण अंतिम निर्णय एवं संपुष्टि के आधार पर परिशोधित किया जाएगा। यदि संघ के सदस्यों से किसी तरह की दोष / असंगति का सूचना प्राप्त नहीं होता है, तो जारी किये गए अस्थायी क्षेत्रीय उर्जा लेखा को ही अंतिम माना जाएगा।

This issues with the approval of the Member Secretary

Yours faithfully, / भवदीय

(S. Kejriwal)

**SE (Comml.)**

**DISTRIBUTION LIST:**

- 1) Chief Engineer (Commercial), Damodar Valley Corporation, DVC Tower, VIP Road,  
Kolkata-700054 ( FAX: 033 23552129 )
- 2) Chief Engineer (PTR), West Bengal State Electricity Distribution Company Limited, Bidyut  
Bhavan, 8<sup>th</sup> Floor, Bidhannagar, Kolkata-700091 (FAX : 033 2334 5862)
- 3) General Manager, ERLDC, 14 Golf Club Road, Kolkata-700033 (FAX: 033 2423 3648)
- 4) Member Secretary, NRPC, Katwaria Sarai,18A SJSS Marg,New Delhi-16 (FAX 01126865206 ).
- 5) Member Secretary, SRPC, 29, Race Course Road, Banglore-560009 (FAX : 080 2259343 ).

**Station Name: Maithon Power Limited**

Installed Capacity (MW) = 1050      % AUX = 6.25%

All figures in MWH

| Date                  | WBSEDCL<br>(L_ER_2012_01) |                    | DVC (L_ER_2012_02) |                    | TPDDL (L_NR_2012_04) |                    | KSEBL-1<br>(L_SR_2015_06) |                    | KSEBL-2<br>(L_SR_2017_03) |                    | Station          |                    |
|-----------------------|---------------------------|--------------------|--------------------|--------------------|----------------------|--------------------|---------------------------|--------------------|---------------------------|--------------------|------------------|--------------------|
|                       | DC                        | Agreed<br>Schedule | DC                 | Agreed<br>Schedule | DC                   | Agreed<br>Schedule | DC                        | Agreed<br>Schedule | DC                        | Agreed<br>Schedule | DC               | Agreed<br>Schedule |
|                       | Peak                      | Peak               | Peak               | Peak               | Peak                 | Peak               | Peak                      | Peak               | Peak                      | Peak               | Peak             | Peak               |
| 1-Sep-22              | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 2-Sep-22              | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 3-Sep-22              | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 4-Sep-22              | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 5-Sep-22              | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 6-Sep-22              | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 7-Sep-22              | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 8-Sep-22              | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 9-Sep-22              | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 10-Sep-22             | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 11-Sep-22             | 1125.00                   | 1114.69            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3925.73            |
| 12-Sep-22             | 1125.00                   | 1117.19            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3928.23            |
| 13-Sep-22             | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 14-Sep-22             | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 15-Sep-22             | 936.00                    | 936.00             | 468.00             | 468.00             | 936.00               | 936.00             | 468.00                    | 468.00             | 468.00                    | 468.00             | 3276.00          | 3276.00            |
| 16-Sep-22             | 955.00                    | 955.00             | 477.50             | 477.50             | 955.00               | 955.00             | 477.50                    | 477.50             | 477.50                    | 477.50             | 3342.50          | 3342.50            |
| 17-Sep-22             | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 18-Sep-22             | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 19-Sep-22             | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 20-Sep-22             | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 21-Sep-22             | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 22-Sep-22             | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 23-Sep-22             | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 557.36             | 562.52                    | 557.36             | 3937.56          | 3925.73            |
| 24-Sep-22             | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 25-Sep-22             | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 26-Sep-22             | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 27-Sep-22             | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 28-Sep-22             | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 29-Sep-22             | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| 30-Sep-22             | 1125.00                   | 1125.00            | 562.52             | 561.00             | 1125.00              | 1125.00            | 562.52                    | 562.52             | 562.52                    | 562.52             | 3937.56          | 3936.04            |
| <b>TOTAL(MWH)</b>     | <b>33391.00</b>           | <b>33372.88</b>    | <b>16696.06</b>    | <b>16653.50</b>    | <b>33391.00</b>      | <b>33391.00</b>    | <b>16696.06</b>           | <b>16690.90</b>    | <b>16696.06</b>           | <b>16690.90</b>    | <b>116870.18</b> | <b>116799.18</b>   |
| % Contract-wise<br>DC | <b>98.94%</b>             |                    | <b>98.94%</b>      |                    | <b>98.94%</b>        |                    | <b>98.94%</b>             |                    | <b>98.94%</b>             |                    |                  |                    |
| % DC station          |                           |                    |                    |                    |                      |                    |                           |                    |                           |                    | <b>98.94%</b>    |                    |
| Station PLF           |                           |                    |                    |                    |                      |                    |                           |                    |                           |                    |                  | <b>98.88%</b>      |

**Station Name: Maithon Power Limited**

Installed Capacity (MW) = 1050      % AUX = 6.25%

All figures in MWH

| Date                  | WBSEDCL<br>(L_ER_2012_01) |                    | DVC (L_ER_2012_02) |                    | TPDDL (L_NR_2012_04) |                    | KSEBL-1<br>(L_SR_2015_06) |                    | KSEBL-2<br>(L_SR_2017_03) |                    | Station          |                    |
|-----------------------|---------------------------|--------------------|--------------------|--------------------|----------------------|--------------------|---------------------------|--------------------|---------------------------|--------------------|------------------|--------------------|
|                       | DC                        | Agreed<br>Schedule | DC                 | Agreed<br>Schedule | DC                   | Agreed<br>Schedule | DC                        | Agreed<br>Schedule | DC                        | Agreed<br>Schedule | DC               | Agreed<br>Schedule |
|                       | off-Peak                  | off-Peak           | off-Peak           | off-Peak           | off-Peak             | off-Peak           | off-Peak                  | off-Peak           | off-Peak                  | off-Peak           | off-Peak         | off-Peak           |
| 1-Sep-22              | 5043.81                   | 5043.81            | 2521.95            | 2518.44            | 5043.81              | 5043.81            | 2521.95                   | 2521.95            | 2521.95                   | 2521.95            | 17653.48         | 17649.97           |
| 2-Sep-22              | 5625.00                   | 5625.00            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2812.60            | 2812.60                   | 2812.60            | 19687.80         | 19680.20           |
| 3-Sep-22              | 5625.00                   | 5625.00            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2812.60            | 2812.60                   | 2812.60            | 19687.80         | 19680.20           |
| 4-Sep-22              | 5625.00                   | 5625.00            | 2812.60            | 2805.00            | 5625.00              | 5353.51            | 2812.60                   | 2196.63            | 2812.60                   | 2196.63            | 19687.80         | 18176.77           |
| 5-Sep-22              | 5625.00                   | 5625.00            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2812.60            | 2812.60                   | 2812.60            | 19687.80         | 19680.20           |
| 6-Sep-22              | 5625.00                   | 5625.00            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2607.95            | 2812.60                   | 2607.95            | 19687.80         | 19270.90           |
| 7-Sep-22              | 5625.00                   | 5625.00            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2812.60            | 2812.60                   | 2812.60            | 19687.80         | 19680.20           |
| 8-Sep-22              | 5625.00                   | 5625.00            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2497.21            | 2812.60                   | 2361.00            | 19687.80         | 18913.21           |
| 9-Sep-22              | 5625.00                   | 5625.00            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2402.29            | 2812.60                   | 2402.29            | 19687.80         | 18859.58           |
| 10-Sep-22             | 5625.00                   | 5625.00            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2260.92            | 2812.60                   | 2260.92            | 19687.80         | 18576.84           |
| 11-Sep-22             | 5625.00                   | 3544.38            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 1881.24            | 2812.60                   | 1881.24            | 19687.80         | 15736.86           |
| 12-Sep-22             | 5625.00                   | 2225.00            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2071.08            | 2812.60                   | 2071.08            | 19687.80         | 14797.16           |
| 13-Sep-22             | 5625.00                   | 4188.44            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2812.60            | 2812.60                   | 2812.60            | 19687.80         | 18243.64           |
| 14-Sep-22             | 5625.00                   | 4829.69            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2418.11            | 2812.60                   | 2418.11            | 19687.80         | 18095.91           |
| 15-Sep-22             | 5034.38                   | 4998.88            | 2517.23            | 2514.38            | 5034.38              | 4986.25            | 2517.23                   | 2296.76            | 2517.23                   | 2296.76            | 17620.43         | 17093.01           |
| 16-Sep-22             | 4699.00                   | 2851.75            | 2349.50            | 2349.50            | 4699.00              | 4699.00            | 2349.50                   | 2159.75            | 2349.50                   | 2159.75            | 16446.50         | 14219.75           |
| 17-Sep-22             | 5541.75                   | 4174.25            | 2770.95            | 2765.25            | 5541.75              | 5541.75            | 2770.95                   | 2326.47            | 2770.95                   | 2326.47            | 19396.35         | 17134.20           |
| 18-Sep-22             | 5625.00                   | 5468.13            | 2812.60            | 2805.00            | 5625.00              | 5373.27            | 2812.60                   | 2284.40            | 2812.60                   | 2284.40            | 19687.80         | 18215.19           |
| 19-Sep-22             | 5625.00                   | 5625.00            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2812.60            | 2812.60                   | 2812.60            | 19687.80         | 19680.20           |
| 20-Sep-22             | 5625.00                   | 5094.69            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2812.60            | 2812.60                   | 2812.60            | 19687.80         | 19149.89           |
| 21-Sep-22             | 5625.00                   | 5625.00            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2718.69            | 2812.60                   | 2718.69            | 19687.80         | 19492.38           |
| 22-Sep-22             | 5625.00                   | 5625.00            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2433.93            | 2812.60                   | 2433.93            | 19687.80         | 18922.86           |
| 23-Sep-22             | 5625.00                   | 4124.06            | 2812.60            | 2805.00            | 5625.00              | 5482.50            | 2812.60                   | 2205.66            | 2812.60                   | 2205.66            | 19687.80         | 16822.87           |
| 24-Sep-22             | 5625.00                   | 3391.88            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2118.54            | 2812.60                   | 2118.54            | 19687.80         | 16058.96           |
| 25-Sep-22             | 5625.00                   | 2786.45            | 2812.60            | 2805.00            | 5625.00              | 5353.58            | 2812.60                   | 1976.16            | 2812.60                   | 1976.16            | 19687.80         | 14897.35           |
| 26-Sep-22             | 5625.00                   | 5306.88            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2544.67            | 2812.60                   | 2544.67            | 19687.80         | 18826.22           |
| 27-Sep-22             | 5625.00                   | 5625.00            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2623.77            | 2812.60                   | 2623.77            | 19687.80         | 19302.54           |
| 28-Sep-22             | 5625.00                   | 5625.00            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2812.60            | 2812.60                   | 2812.60            | 19687.80         | 19680.20           |
| 29-Sep-22             | 5625.00                   | 4498.44            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2812.60            | 2812.60                   | 2812.60            | 19687.80         | 18553.64           |
| 30-Sep-22             | 5625.00                   | 5625.00            | 2812.60            | 2805.00            | 5625.00              | 5625.00            | 2812.60                   | 2812.60            | 2812.60                   | 2812.60            | 19687.80         | 19680.20           |
| <b>TOTAL(MWH)</b>     | <b>166568.94</b>          | <b>146901.70</b>   | <b>83287.23</b>    | <b>83077.56</b>    | <b>166568.94</b>     | <b>165583.68</b>   | <b>83287.23</b>           | <b>74672.17</b>    | <b>83287.23</b>           | <b>74535.96</b>    | <b>582999.56</b> | <b>544771.07</b>   |
| % Contract-wise<br>DC | <b>98.71%</b>             |                    | <b>98.71%</b>      |                    | <b>98.71%</b>        |                    | <b>98.71%</b>             |                    | <b>98.71%</b>             |                    |                  |                    |
| % DC station          |                           |                    |                    |                    |                      |                    |                           |                    |                           |                    | <b>98.71%</b>    |                    |
| Station PLF           |                           |                    |                    |                    |                      |                    |                           |                    |                           |                    |                  | <b>92.24%</b>      |